



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BERNARDO GB 35 Vario (1008-8100264)



Control type
konventionell

Machine no.
1008-8100264

Make
BERNARDO

Location
Ahaus

Furnishing:

- Infinitely variable speed, ideal for
- Set the desired cutting speed.
- Automatic tool ejector and thread cutting device as standard
- Electromechanical drilling feed, adjustable from 0.1 - 0.3 mm / rev
- Solid gray cast iron table with rotating and swiveling support surface
- T-slots in the machine base enable high workpieces to be clamped
- Guaranteed concentricity 0.02 mm, measured in the quill
- Hardened and ground gears ensure smooth running
- Adjustable drilling depth stop with an easily readable scale

Scope of delivery:

- Key chuck 1 - 13 mm / B 16
- Drill chuck arbor MK 4 / B 16
- Reducing sleeve MT 4/3, MT 4/2
- coolant device
- Thread cutting device
- Electromagnetic spindle feed
- Automatic tool ejector

- LED machine light
- First filling with Shell Tellus 46
- Digital speed display
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	35,0 mm
bore capacity in cast iron:	40,0 mm
throat:	320 mm
threading:	M 24 in Stahl
morse taper:	4 MK
bore stroke:	160 mm
turning speeds:	65 - 3250 U/min
table::	500 x 420 mm
throat:	320 mm
weight:	375 kg
range L-W-H:	600 x 870 x 2.170 mm

Machine images





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

