



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BERNARDO SB 40 Profi (1008-8100277)



Control type
konventionell

Machine no.
1008-8100277

Make
BERNARDO

Location
Ahaus

characteristics

- Vario drive for precise setting of the speed
- Quill feed either by hand or by mechanical feed
- Easy tool change thanks to automatic tool ejector
- Set speed can be read quickly and easily using the digital display
- Solid, swiveling gray cast iron table with T-slots and coolant channel
- The coolant system and lighting are included in the scope of delivery
- Adjustable drilling depth stop, drilling depth can be read off using a scale
- Right-left rotation device for thread cutting

scope of delivery

- Drill chuck arbor MK 4 / B 16
- coolant device
- Digital speed display
- Keyless chuck 1 - 16 mm / B 16
- Reducing sleeve MK 4/3, MK 4/2, MK 3/1
- LED machine light
- Automatic tool ejector
- Height-adjustable protective cover

Machine attributes

bore capacity in steel (diameter):	40,0 mm
throat:	320 mm
bore stroke:	160 mm
morse taper:	4 MK
table::	505 x 425 mm
swivelling +/-:	50 Grad
T-slots:	14,0 mm
turning speeds:	90 - 1455 U/min
quill feed:	0,1/0,2/0,3 mm/U
column diameter:	120 mm
total power requirement:	1,0 / 1,5 kW
weight of the machine ca.:	380 kg.
range L-W-H:	500 x 930 x 1870 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

