



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BERNARDO TITAN 560-1500 PRO VARIO (1008-8203158)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1008-8203158

Make
BERNARDO

Location
Ahaus

Equipment:

- 3-axis digital display ES-12 V with LCD display
- 3-jaw chuck PS3-315 mm / D8
- Fixed steady rest - passage diameter max. 180 mm
- Follow-on steady rest - passage diameter max. 120 mm
- Foot pedal with brake function according to CE
- Protective device for quick-change tool holder
- LED machine light
- Initial filling with Shell Tellus 46
- Clamping disk 450 mm
- 2 centering points
- Frequency converter
- Digital speed display
- Slip clutch
- Rapid traverse longitudinal and planar
- Coolant system
- Quick-change tool holder with 4 inserts

- Change gears
- Reduction sleeve
- Chip back wall
- Operating tool

Machine attributes

turning length:	1500 mm
turning diameter:	560 mm
turning diameter over slide:	350 mm
turning speeds:	25-220/220-1500 U/min
swing diameter over bed slide:	350 mm
turning dia. in gap:	785 mm
quill travel:	185 mm
spindle bore:	105,0 mm
engine output:	7,5 kW
spindle taper:	DIN 55029 D 1-8
quill::	5 MK
weight of the machine ca.:	2420 kg.
range L-W-H:	2840 x 1150 x 1610 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH






Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

