



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

BOSCHERT EL 750 Digital (1008-9412149)



Control type
konventionell

Construction year
1998

Machine no.
1008-9412149

Make
BOSCHERT

Location
Ahaus

The hydraulic punching machine ECCO LINE is specially designed for the processing of sheet metal and profile parts. It has been optimized for flexibility and manufacturing precision. The machines of the ECCO series LINE are equipped with 28.0 t punching force in connection with the proven Trumpf tool system.

Furnishing:

- + very many application tools +
- TRUMPF tool system
- * manual tool change approx. 15 sec.
- Solid welded steel construction for maximum stability
- Stop system with scales
- * Punching accuracy +/- 0.2 mm
- Control panel: set-up, single and continuous stroke
- Stepless lifting height adjustment
- * for setting the exact lifting height
- Operation manual
- 1x drawer cabinet for application tools

- free-moving footswitch

Machine attributes

sheet width:	750 mm
plate length:	1500 mm
plate thickness:	6,0 mm ST
pressure:	28,0 to
work height max.:	900 mm
throat:	750 mm
height of stroke:	0 - 30,0 mm
punch diameter:	max. Ø 105 mm
no. of strokes:	100 Hub/min
oil volume:	115 l
total power requirement:	4,0 kW
weight of the machine ca.:	2600 kg
range L-W-H:	3200 x 1700 x 1500 mm

Machine images



© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmaschinen





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werkvertretungen
Gebrauchtmachines

