



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

GEMMA GROUP - Halbautomat PRISMA 450 SA (1008-8164018)

© A + B Werkzeuge Maschinen Handels GmbH



Control type
konventionell

Machine no.
1008-8164018

Make
GEMMA GROUP - Halbautomat

Location
Ahaus

Features:

- Semi-automatic high-performance circular saw (underfloor)
- * For cuts from 45° right to 45° left
- * In aluminum and light metal alloys
- * With rising saw blade
- Manually opening safety guard (optionally with pneumatic opening)
- Hydro-pneumatic saw blade feed (via two-hand operation)
- Heavy-duty cast iron construction ensures vibration-free operation and maximum precision
- Large bearing-mounted rotary table with internal indexing at 0/45°
- * Ensures quick adjustment for miter cuts
- Extraction nozzle for connecting a chip extraction system

Scope of delivery:

- 2 pneumatic vertical vices with quick adjustment
- Tool set
- Detailed operating instructions, maintenance manual, etc.

- Blow-out gun
- Machine is delivered without a saw blade!

Machine attributes

saw blade diameter:	450 x 30 mm
capacity 90 degrees: round:	130 mm
capacity 90 degrees: square:	125 x 125 mm
capacity 90 degrees: flat:	190x100 / 230x50 mm
capacity 45 degrees: round:	110 mm
capacity 45 degrees: square:	95 x 95 mm
capacity 45 degrees: flat:	130 x 45 mm
turning speeds:	2800 U/min
mitre joint cuts +/- degrees:	+ 45 / - 45
total power requirement:	2.2 kW
weight of the machine ca.:	245 kg
range L-W-H:	1600 x 750 x 1000 mm

Machine images

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

© A + B Werkzeuge Maschinen Handels GmbH
Schweißtechnik

