

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

INDUMASCH 200 H (1008-9397077)



Control type konventionell

Machine no. 1008-9397077

Make INDUMASCH

LocationAhaus

Furnishing:

- robust hydraulic notching machine, with adjustable angle
- Adjustment range 30 120 degrees
- * Adjustment with the 2x front handwheels
- hydraulic clamping and locking
- Infinitely adjustable cutting depth, with digital display
- 2x locking accuracy stop, with stop bars
- Stripper for sheet metal cutting
- Collecting container for clippings
- Freely movable foot pedal for triggering the stroke

Machine attributes

plate thickness: 4.0 mm
thickness at "Niro-steel": 3.0 mm
blade length: 200 mm
angle adjustable from - to: 30 - 120 Grad
no. of strokes: 60 Hub/min
oil volume: 60.0 ltr.

table:: $1000 \times 800 \text{ mm}$ total power requirement: 2.62 kW

weight: 800 kg

range L-W-H: 1000 x 1500 x 1440 mm

Machine images








Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen













Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

