



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

## LORCH MIG MAG M 304 \*SET\* (1008-8455055)



**Control type**  
konventionell

**Machine no.**  
1008-8455055

**Make**  
LORCH

\*\* LORCH authorized trader - other models on request

### Description:

Automatic setting

With the help of the automatic adjustment of the wire feed speed

The Lorch M 304 supports you with the selected voltage level

Finding the perfect working point.

### Quality wire feeder

The Lorch M 304 comes with a 4-roller wire feed as standard

Robust housing due to its compact and robust

You can easily place your Lorch M 304 under the housing with sturdy wheels

Stow away the workbench or use the top of the machine as a storage area.

### Double gas bottle lock

For optimal safety, the Lorch M series has a double

Gas bottle lock. So you can move your power source safely.

Furnishing:

- Integrated 4-roll wire feed
- ML2500 burner, 4m
- Workpiece lead 25 mm<sup>2</sup>
- Pressure reducer with volume and content manometer
- gas hose
- Basket spool adapter K300
- Mains cable with CEE-16 plug
- Manual

## Machine attributes

welding power:	30 - 290 A (stufenlos)
welding power:	ED 60% 175 A
Wire thickness:	0,6 - 1,2 Stahl mm
Wire thickness:	1,0 - 1,2 ALU mm
voltage:	400 V
weight:	67 kg

## Machine images

