



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

MATRA MDR 230 (1008-9207368)



Control type
konventionell

Machine no.
1008-9207368

Make
MATRA

Location
Ahaus

Equipment:

- robust lead/spindle lathe
- FAGOR "NV20" digital display
- FORKARDT 3-jaw chuck Ø 250 mm
- RÖHM 4-jaw chuck - without clamping jaws
- key for jaw chuck
- MULTIFIX tool holder "TYPE B" with 2x inserts
- movable tailstock including pneumatic quill
- * including live center
- spindle cover (retrofitted)
- foldable lathe chuck guard (retrofitted)
- swiveling machine light
- coolant system
- foot pedal with brake function
- chip guard rear panel
- various other accessories
- original operating instructions

Machine attributes

turning length:	1000 mm
turning diameter over bed:	455 mm
turning diameter over slide rest:	280 mm
turning dia. in gap:	710 mm
bed width:	350 mm
spindle bore:	80.0 mm
turning speeds:	20 - 1600 U/min
tailstock quill taper MT:	5
quill stroke:	155 mm
spindle head:	DIN 55027 GR 8
voltage:	380 V
total power requirement:	1.8 - 7.5 kW
weight of the machine ca.:	2350 kg
range L-W-H:	2500 x 1300 x 1700 mm




Machine images





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH

MATRA - WERKE G.M.B.H. FRANKFURT / M

Type Nr.

Stromart Frequenz Hz

Betriebsspannung V

Steuerspannung V

Nennstrom A

Nennstrom der Sicherung A

Schaltplan - Nr.