

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

# MEP COBRA 352 MA 2G (1008-816001)



Control type konventionell

Machine no. 1008-816001

Make MEP

**Location**Ahaus

#### Description:

manual high-performance circular saw for cuts from 45 ° right to 45 ° left in aluminum and lightweight metal alloys, with 2 speeds

## Furnishing:

- with pneumatic vices
- The saw head can be tilted by 45 ° on one side
- Heavy cast iron construction
- ensures vibration-free operation and maximum precision
- The head can also be tilted up to 45  $^{\circ}$
- Powerful, 2-stage drive with double V-belts
- large turntable with bearings
- Lubrication device with mechanical diaphragm pump
- Extraction nozzle for connecting a chip extractor

#### Scope of delivery:

- Adjustable length stop 600 mm
- tool kit

- Instructions with wiring diagram
- Crane eyes for transport
- \* The machine is delivered without a saw blade

## Special accessories:

- including base

## **Machine attributes**

saw blade diameter: 350 x 32 mm capacity 90 degrees: round: 120 mm capacity 90 degrees: square: 105 mm capacity 90 degrees: flat: 180 x 70 mm capacity 45 degrees: round: 120 mm links capacity 45 degrees: round: 110 mm rechts capacity 45 degrees: square: 100 mm links capacity 45 degrees: square: 95 mm rechts capacity 45 degrees: flat: 135 x 60 mm dimensions of saw-blade: 350 x 32

turning speeds: 1700 / 3400 U/min

capacity 45 degrees: round: 120 mm total power requirement: 1,5 / 2,2 kW weight of the machine ca.: 210 kg

dimensions of the machine ca.: 1170 x 860 x 1600 mm

## Machine images

