

Rottweg 17 • D 48683 Ahaus Tel. (0 25 61) 93 84-0 Fax (0 25 61) 93 84 36 Internet: www.ab-maschinen.de E-Mail: info@ab-maschinen.de Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

MEP - Vollautomat SHARK 331-1 NC 5.0 Spider MDE (1008-8174119)



Control type CNC

Machine no. 1008-8174119

Make MEP - Vollautomat

LocationAhaus

Equipment:

- robust electro-hydraulic fully automatic band saw (INDUSTRY)
- with additional semi-automatic function, for cuts from 0° to 60° left
- WINDOWS ?CE? based MEP 50 ? control and 7? touch screen display
- * simple and quick setting of all machine parameters
- * with additional soft keys + backlit display
- * 10 programs, each with a maximum of 9999 pieces
- . and a maximum length of 9999.9 mm
- material feed with stepper motor via ball screw
- * single stroke 600 mm repeatable to saw any length
- * accuracy of ± 0.1/600 mm
- feeder with protective cover and safety limit switch
- precise setting of the cutting feed with indication in mm/min
- positioning of the saw head and movement of the feeder using a joystick
- automatic detection of the start of the cut
- large deflection discs, adjustable from cast steel
- Saw blade tension with blade tension control and display

- Hard metal blade guides for maximum cutting precision
- Automatic monitoring of the cutting load
- Vice with quick adjustment
- * with interchangeable clamping and stop jaws
- Large, laterally extendable chip tray and coolant container
- * equipped with 2 electric pumps for lubricating and cooling the saw blade
- * Coolant gun for cleaning the machine
- Chip removal brush for cleaning the saw blade
- Operating instructions DE

Information from the manufacturer:
When installing this saw in the network with
a residual current device (FI),
this should be universally sensitive and not less than 300 mA.

- ** SPECIAL ACCESSORIES INCLUDED:
- MEP LubeCut micro dosing device

Machine attributes

cutting range: 300 mm

capacity 90 degrees: flat: $330 \times 260 \, \text{mm}$ capacity 90 degrees: square: $260 \times 260 \, \text{mm}$

capacity 45 degrees: round: 260 mm

capacity 45 degrees: flat: 270 x 200 mm

capacity 45 degrees: square: 250 mm capacity 60 degrees: round: 180 mm

capacity 60 degrees: flat: 170 x 170 mm capacity 60 degrees: square: 180 mm

automatic feeds: 9999,9 mm

feed: minimum 2 mm

cutting diameter: minimum 5 mm

band speed: 15 - 100 m/min vice: 340 mm Öffnung

dimensions of saw-band: 3650 x 27 x 0,9 mm

total power requirement: 2,2 kW weight: 1240 kg

range L-W-H: 1800 x 1900 x 1750 mm

Machine images

A + B Werkzeuge Maschinen Handels GmbH



