



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

OTHMAR SCHIERL BEMI/3 - 1020 x 3.0 (1008-9401291)



Control type
konventionell

Machine no.
1008-9401291

Make
OTHMAR SCHIERL

Location
Ahaus

** from a maintenance workshop

Equipment:

- Robust electric-driven roll bending machine for single and series production
- Manually adjustable side roller (2 hand cranks)
- Manually adjustable lower roller (eccentric hand lever)
- Asymmetrical roller arrangement
- Manually swiveling upper roller
- Rollers with profile inlets
- Safety enclosures

Machine attributes

sheet width:	1020 mm
plate thickness:	3.3 mm
Sheet thickness / Pre-Bending:	3.0 mm
roll length:	1040 mm
speed:	ca. 4.0 m/min
roll diam. toproll:	110 mm
roll diam. bottom roll:	110 mm
Roller diameter / side roller:	110 mm
Adjustment range of the side roller:	ca. 85.0 mm
work height max.:	ca. 835 mm
total power requirement:	2.0 kW
weight:	525 kg
range L-W-H:	1925 x 985 x 1450 mm


Machine images





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines





Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

