



Rottweg 17 • D 48683 Ahaus
Tel. (0 25 61) 93 84-0
Fax (0 25 61) 93 84 36
Internet: www.ab-maschinen.de
E-Mail: info@ab-maschinen.de

Schweißtechnik
Lagereinrichtungen
Industriebedarf
Werksvertretungen
Gebrauchtmaschinen

PEDDINGHAUS PEDDIWORKER NO 1 (1008-9412195)



Control type
konventionell

Construction year
2014

Machine no.
1008-9412195

Make
PEDDINGHAUS

Location
Ahaus

- ** From a maintenance workshop
- ** vry good condition - rarely used (!!)
- ** New price including accessories ~ 25.000 Euro

Equipment:

- Robust electro-hydraulic profile steel shears
- * Punching station, flat steel shears, angle steel shears, profile steel shears
- Continuously adjustable stroke
- Very compact design
- Support table at the notching and punching station
- Square notcher
- Flat steel blade, 425 mm long, with four cutting edges
- * Also for 45° angle steel sections
- Profile steel blade for cutting 90° angle steel
- * As well as round and square steel
- Height-adjustable and retractable strippers
- Safety guards at workstations

- 1x freely movable foot switch

** Special accessories included:

- 1x PEDDINGHAUS electric contact length stop, including support foot
- Drawer cabinet with numerous accessories Punching tools

** Further technical specifications:

Flat steel shears:

- * Cuts flat steel with minimal deformation .. 400 x 20 mm
- * L-shaped steel, 45° cut up to .. 120 x 12 mm
- * Blade cutting length .. 425 mm
- * Working height .. 800 mm

Section and bar steel shears:

- * Shearing cross-section .. 2320 mm²
- * L-shaped steel, 90° cut .. 120 x 10 mm
- * Round steel .. 40 mm
- * Working height .. 1200 mm

Notchers:

- * Sheets .. 13 mm
- * L-shaped steel .. 80 x 10 mm
- * U-shaped steel in the flange .. 80 - 140 mm
- * Notching width .. 52 mm
- * Notching depth .. 70 mm
- * Working height .. 1176 mm

Hole punch:

- * Punching force .. 900 kN
- * Stroke rate .. 26 strokes/min
- * Punching throat .. 250 mm
- * Working height .. 1175 mm

Machine attributes

punching pressure:	90.0 t
punch diameter:	31 in 22 mm
stroke - stepless adjustable:	10 - 42 mm
Number of strokes per minute:	ca. 26
throat:	250 mm
round bar steel:	40.0 mm
L-beam:	120 x 10 mm
square edge steel:	40.0 mm
shear: flat material:	400 x 20 mm
blade length:	425 mm
work height max.:	1176 / 1200 mm
total power requirement:	4.0 kW
oil volume:	45.0 l
weight:	1200 kg
dimensions:	1210 x 690 x 1920 mm

Machine images





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH





Rottweg 17 • D 48683 Ahaus
 Tel. (0 25 61) 93 84-0
 Fax (0 25 61) 93 84 36
 Internet: www.ab-maschinen.de
 E-Mail: info@ab-maschinen.de

Schweißtechnik
 Lagereinrichtungen
 Industriebedarf
 Werksvertretungen
 Gebrauchtmachines

© A + B Werkzeuge Maschinen Handels GmbH

