



Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

## ZMM - SLIVEN HU 310 (1008-9207331)



**Control type**  
konventionell

**Construction year**  
2000

**Machine no.**  
1008-9207331

**Make**  
ZMM - SLIVEN

**Location**  
Ahaus

\*\* New price ~ 20.000 euros

\*\* from a technical college (!!)

Furnishing:

- Robust conventional center lathe
- 3-jaw lathe chuck Ø 160 mm, with replacement jaws
- "NEWALL" digital display, front left
- MULTIFIX steel holder with 3x inserts
- fixed bezel
- moving bezel
- Movable tailstock
- Foot/spindle brake
- Machine swing feet
- User manual (PDF/NL)

\* all technical data:

- Turning diameter over bed 310 mm
- Distance between centers 750 mm
- Turning diameter over support 175 mm

- Spindle bore 32 mm
- bed width 200 mm
- Spindle mount / DIN 55027 GR 5
- Spindle taper 4.5 M
- Spindle speed 85 - 2000 rpm.
- Metric thread range 0.1 - 28 mm
- Thread module range 0.1 - 1.75
- Thread DP range 4 - 70
- Adjustment range cross slide 150 mm
- Adjustment range top slide 95 mm
- Tailstock quill diameter 40 mm
- Tailstock recording 3 MK
- Tailstock quill travel 100 mm
- Motor power 2.2 kW
- Weight 770 kg

\* Machine link :

<http://mhpm.logotech.de/hpm/v7/Datenblatt/datenblatt.php?machineno=1008-9207331>

## Machine attributes

|                            |                      |
|----------------------------|----------------------|
| turning length:            | 750 mm               |
| turning diameter:          | 310 mm               |
| centre height:             | 175 mm               |
| spindle bore:              | 32,0 mm              |
| tailstock quill taper MT:  | 3 MK                 |
| turning speeds:            | 85 - 2200 U/min      |
| bed width:                 | 200 mm               |
| spindle taper:             | DIN 55027 GR 5       |
| total power requirement:   | 2,2 kW               |
| weight of the machine ca.: | 710 kg               |
| range L-W-H:               | 1884 x 717 x 1262 mm |


## Machine images





Rottweg 17 • D 48683 Ahaus  
 Tel. (0 25 61) 93 84-0  
 Fax (0 25 61) 93 84 36  
 Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
 E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
 Lagereinrichtungen  
 Industriebedarf  
 Werksvertretungen  
 Gebrauchtmachines





Rottweg 17 • D 48683 Ahaus  
Tel. (0 25 61) 93 84-0  
Fax (0 25 61) 93 84 36  
Internet: [www.ab-maschinen.de](http://www.ab-maschinen.de)  
E-Mail: [info@ab-maschinen.de](mailto:info@ab-maschinen.de)

Schweißtechnik  
Lagereinrichtungen  
Industriebedarf  
Werksvertretungen  
Gebrauchtmaschinen

